

コイルパネ
(両端研削なし)

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
0.16	H0001	SWPA	0.16	1.34	10	14	5.1	0.01	0.186N/mm	
	H0002	SUS304-WPB	0.16	1.6	8	12	6.5	0.01	0.255N/mm	
	H0003	SUS305-WPB	0.16	2.5	8	10	10	0.01	0.055N/mm	
0.18	H0004	SWPB	0.18	2.0	6	8	4	0.01	0.28N/mm	
0.2	H0005	SWPB	0.2	2.0	6	8	6.5	0.01	0.451N/mm	
	H0006	SWPB	0.2	2.0	3.5	5.5	4.5	0.01	0.764N/mm	
	H0007	SWPB	0.2	2.0	7.5	9.5	6.5	0.01	0.360N/mm	
	H0008	SWPA	0.2	3.2	3.5	5.5	3.6	0.01	0.167N/mm	
	H0009	SWPA	0.2	2.7	5.5	7.5	8.7	0.02	0.182N/mm	
	H0010	SWPA	0.2	2.0	3.5	5.5	3.5	0.01	0.768N/mm	
	H0011	SWPA	0.2	2.0	11	17	8.4	0.03	0.244N/mm	
	H0012	SWPA	0.2	2.0	3.5	5.5	4	0.01	0.764N/mm	
	H0013	SUS305-WPB	0.2	2.6	4.5	6.5	7.5	0.01	0.236N/mm	
	H0014	SWPA	0.2	2.2	8	10	6	0.02	0.244N/mm	
	H0015	SWPB	0.2	1.9	4	10	6.2	0.01	0.421N/mm	
	H0016	SWPA	0.2	3.0	5	7	5.5	0.02	0.142N/mm	
	H0017	SWPA	0.2	2.6	17	19	20	0.04	0.647N/mm	
	H0018	SWPA	0.2	1.8	6	8	6	0.01	0.637N/mm	
	H0019	SWPB	0.2	2.0	3.5	5.5	4.5	0.01	0.764N/mm	
	H0020	SWPA	0.2	1.8	4	6	5.83	0.01	0.96N/mm	
	H0021	SWPA	0.2	2.8	9.5	13.5	15.1	0.03	0.960N/mm	
	H0022	SWPA	0.2	2.3	8	10	7.2	0.02	0.216N/mm	
	H0023	SWPA	0.2	2.8	5	7	6.0	0.02	0.179N/mm	
	H0024	SWPA	0.2	2.6	4	6	6.6	0.01	0.284N/mm	
0.23	H0025	SWPA	0.23	2.0	6.5	8.5	4.9	0.02	0.745N/mm	
	H0026	SWPA	0.23	2.0	6.5	8.5	4.9	0.02	0.745N/mm	
	H0027	SWPB	0.23	2.0	6	8	5.35	0.02	0.824N/mm	
	H0028	SWPA	0.23	2.0	11	13	11.1	0.03	0.449N/mm	
	H0029	SWPA	0.23	2.0	15	17	8.3	0.03	0.333N/mm	
	H0030	SWPA	0.23	2.9	4.5	8.5	9	0.03	0.32N/mm	
	H0031	SWPA	0.23	1.8	6	8	5.82	0.01	1.18N/mm	
	H0032	SWPA	0.23	2.2	12	16	11.5	0.04	2.979N/mm	
0.25	H0033	SWPA	0.25	3.0	5	7	5.5	0.03	0.366N/mm	
	H0034	SWPA	0.25	2.6	36	38	22.0	0.12	0.081N/mm	
	H0035	SWPA	0.25	2.8	8	10	11.1	0.03	0.372N/mm	
0.26	H0036	SWPB	0.26	1.8	10	12	8.2	0.03	1.225N/mm	
	H0037	SWPB	0.26	2	9	11	7.1	0.03	0.941N/mm	
	H0038	SWPB	0.26	2.0	8	10	6.0	0.03	1.058N/mm	
	H0039	SWPA	0.26	3.1	14.5	16.5	21.6	0.07	0.134N/mm	
	H0040	SWPB	0.26	2.0	6.5	8.5	5.7	0.02	1.303N/mm	
	H0041	SWPA	0.26	2.9	4.5	6.5	6.3	0.02	0.539N/mm	
	H0042	SWPA	0.26	2.7	3.5	5.5	4.05	0.02	0.880N/mm	
	H0043	SWPA	0.26	2.8	8	12	13.8	0.04	0.342N/mm	
	H0044	SWPA	0.26	1.68	7	11	7.0	0.02	0.84N/mm	
	H0045	SWPA	0.26	1.92	7.5	11.5	5.6	0.03	0.58N/mm	
	H0046	SWPA	0.26	1.6	7	11	5.1	0.02	0.99N/mm	
	H0047	SWPA	0.26	2.0	11	13	7.0	0.03	0.774N/mm	
	H0048	SWPA	0.26	3.0	3.5	5.5	6.0	0.02	0.619N/mm	
	H0049	SWPA	0.26	2.7	24	28	21.6	0.10	0.13N/mm	
	H0050	SWPA	0.26	1.92	8	12	5.88	0.03	0.539N/mm	
	H0051	SWPA	0.26	2.96	13	15	18	0.06	0.176N/mm	
	H0052	SWPB	0.26	2.96	13	15	20.8	0.06	0.176N/mm	
	H0053	SWPA	0.26	2.7	3.5	5.5	4.95	0.02	0.872N/mm	
	H0054	SWPA	0.26	2.5	11.5	15.5	12.1	0.05	0.343N/mm	
	H0055	SWPA	0.26	2.8	4	8	5.1	0.03	0.69N/mm	
	H0056	SUS304-WPB	0.26	2.4	11	13	9	0.04	0.441N/mm	
0.29	H0057	SWPA	0.29	3.0	6	8	7	0.04	0.323N/mm	
	H0058	SWPB	0.29	2.7	3	5	6.04	0.02	1.646N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0059	SWPB	0.29	3.2	1.5	3.5	3.5	0.02	1.872N/mm	
	H0060	SWPB	0.29	3.0	12	14	15	0.07	0.294N/mm	
	H0061	SWPA	0.29	3.1	15.5	17.5	20.9	0.09	0.196N/mm	
	H0062	SWPA	0.29	2.9	5	7	7	0.03	0.774N/mm	
	H0063	SWPA	0.29	2.8	9.5	13.5	9.5	0.06	0.461N/mm	
	H0064	SWPA	0.29	2.3	6	8	4.6	0.03	1.421N/mm	
	H0065	SWPA	0.29	3.0	16	18	20.6	0.09	0.22N/mm	
	H0066	SWPA	0.29	3.0	6	8	8.1	0.04	0.6468N/mm	
	H0067	SWPA	0.29	2.0	11.5	15.5	8.0	0.05	1.2N/mm	
	H0068	SWPA	0.29	2.5	4.5	6.5	4.47	0.03	1.431N/mm	
	H0069	SWPA	0.29	2.8	10	12	8.4	0.05	0.438N/mm	
	H0070	SWPA	0.29	2.5	8	10	9	0.04	0.8N/mm	
	H0071	SWPA	0.29	3.0	5	9	7.48	0.04	0.7N/mm	
	H0072	SWPA	0.29	2.5	7	9	7.3	0.04	0.918N/mm	
	H0073	SWPA	0.29	2.4	10.5	14.5	10.5	0.06	0.705N/mm	
	H0074	SWPA	0.29	2.8	20	22	13.9	0.10	0.219N/mm	
	H0075	SWPA	0.29	3.0	17	19	20.8	0.09	0.21N/mm	
	H0076	SWPA	0.29	3.1	21	23	17.7	0.12	0.147N/mm	
	H0077	SWPA	0.29	4.0	8	10	16.7	0.07	0.167N/mm	
	H0078	SWPA	0.29	2.3	6.5	8.5	6.01	0.03	1.313N/mm	
	H0079	SWPA	0.29	3.0	25	27	23	0.13	0.137N/mm	
	H0080	SWPA	0.29	2.5	16	18	21.4	0.07	0.196N/mm	
	H0081	SWPA	0.29	2.0	13	15	8.24	0.05	1.068N/mm	
	H0082	SWPA	0.29	2.5	7	9	7.1	0.04	0.921N/mm	
	H0083	SWPA	0.29	2.1	16	20	12.1	0.07	0.735N/mm	
	H0084	SWPA	0.29	3.0	7	9	8.1	0.04	0.5N/mm	
	H0085	SWPB	0.29	2.7	3	5	4.04	0.02	1.646N/mm	
	H0086	SWPA	0.29	2.9	3.5	5.5	5.5	0.03	1.107N/mm	
	H0087	SWPA	0.29	2.4	8	10	8.2	0.04	0.921N/mm	
	H0088	SWPA	0.29	2.8	4.5	6.5	6.7	0.03	0.970N/mm	
	H0089	SWPA	0.29	2.9	3.5	5.5	6.5	0.03	1.107N/mm	
	H0090	SUS304-WPB	0.29	4.0	5	9	6.3	0.06	0.15N/mm	
0.3	H0091	SWPB	0.3	2.3	7.5	9.5	9.2	0.04	1.323N/mm	
	H0092	SWPA	0.3	2.3	10	12	9	0.05	1.0N/mm	
	H0093	SWPA	0.3	2.8	8	10	7	0.05	0.637N/mm	
	H0094	SWPA	0.3	3.0	5	7	8.1	0.04	0.807N/mm	
	H0095	SWPA	0.3	2.4	11	13	12.5	0.06	0.392N/mm	
	H0096	SWPA	0.3	2.7	5.5	9.5	8	0.05	1.05N/mm	
	H0097	SWPA	0.3	3.0	4.5	6.5	8.5	0.04	0.9N/mm	
	H0098	SWPA	0.3	2.9	5	7	5.38	0.04	0.904N/mm	
	H0099	SWPA	0.3	3.0	18.5	20.5	16	0.12	0.216N/mm	
	H0100	SWPA	0.3	3.0	6	8	4.7	0.05	0.666N/mm	
	H0101	SWPA	0.3	2.9	4.5	8.5	7.5	0.05	1.0N/mm	
	H0102	SWPA	0.3	2.52	5	7	8.5	0.03	1.45N/mm	
0.32	H0103	SWPA	0.32	3.9	10	12	15.1	0.09	0.224N/mm	
	H0104	SWPB	0.32	3.1	6	8	7.3	0.05	1.039N/mm	
	H0105	SWPA	0.32	2.5	7	9	9	0.04	1.41N/mm	
	H0106	SWPA	0.32	2.8	5.5	7.5	7	0.04	1.225N/mm	
	H0107	SWPB	0.32	3.45	13	15	18	0.10	0.258N/mm	
	H0108	SWPB	0.32	3.0	4	6	8	0.04	1.333N/mm	
	H0109	SWPA	0.32	3.0	11.5	15.5	12	0.09	0.46N/mm	
	H0110	SWPA	0.32	2.8	7.5	9.5	11.5	0.05	0.902N/mm	
	H0111	SWPA	0.32	3.0	7	14	11.5	0.08	0.764N/mm	
	H0112	SWPA	0.32	3.0	7	11	11.5	0.07	0.76N/mm	
	H0113	SWPA	0.32	3.0	11	17	12.8	0.10	0.48N/mm	
	H0114	SWPA	0.32	3.1	4.5	8.5	7.6	0.05	1.06N/mm	
	H0115	SWPA	0.32	3	14	16	11	0.10	0.38N/mm	
	H0116	SWPA	0.32	2.85	5	9	7.8	0.05	1.27N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0117	SWPA	0.32	2.9	6	10	7.8	0.06	1.0N/mm	
	H0118	SWPA	0.32	3.0	12	18	11.26	0.11	0.441N/mm	
	H0119	SWPA	0.32	2.2	8	10	7.3	0.04	1.931N/mm	
	H0120	SWPB	0.32	3.0	6.5	10.5	9	0.06	0.823N/mm	
	H0121	SWPA	0.32	3.2	6	8	8.6	0.05	0.715N/mm	
	H0122	SWPA	0.32	2.5	7	9	6.5	0.04	1.42N/mm	
	H0123	SWPA	0.32	2.7	6.5	10.5	8.27	0.06	1.18N/mm	
	H0124	SWPA	0.32	2.8	5	9	7.3	0.05	1.34N/mm	
	H0125	SWPA	0.32	3.0	7	9	12.8	0.05	0.78N/mm	
	H0126	SWPA	0.32	4.0	5	7	7.7	0.06	0.413N/mm	
	H0127	SWPA	0.32	4.0	6.5	10.5	12	0.08	0.314N/mm	
	H0128	SWPB	0.32	2.2	8	10	6.8	0.04	1.931N/mm	
	H0129	SWPA	0.32	3.0	6	10	9.75	0.06	0.882N/mm	
	H0130	SWPB	0.32	2.9	5.5	7.5	9.1	0.04	1.09N/mm	
	H0131	SWPA	0.32	3.0	5	7	7.63	0.04	1.068N/mm	
	H0132	SWPA	0.32	2.84	14	16	10.4	0.09	0.451N/mm	
	H0133	SWPA	0.32	3.0	10	12	10.6	0.07	0.490N/mm	
	H0134	SWPA	0.32	2.3	11	13	9.2	0.06	1.205N/mm	
	H0135	SWPA	0.32	3.52	6	8	10.5	0.06	0.519N/mm	
	H0136	SWPA	0.32	2.9	6	10	7.1	0.06	0.997N/mm	
	H0137	SWPB	0.32	2.5	9	13	9.3	0.06	1.098N/mm	
	H0138	SWPA	0.32	3.52	9	11	10.5	0.08	0.343N/mm	
	H0139	SWPA	0.32	2.9	5	9	6.88	0.05	1.196N/mm	
	H0140	SWPA	0.32	3.0	4.5	8.5	8	0.05	1.19N/mm	
	H0141	SWPB	0.32	2.9	6	10	8.3	0.06	1.0N/mm	
	H0142	SWPB	0.32	3.0	3.5	5.5	6.2	0.03	1.519N/mm	
	H0143	SWPA	0.32	2.8	11	13	13.8	0.07	0.608N/mm	
	H0144	SWPB	0.32	2.8	7	9	7.5	0.05	0.960N/mm	
0.35	H0145	SWPA	0.35	3.0	2	4	4.6	0.03	3.949N/mm	
	H0146	SUS304-WPB	0.35	3.8	7	9	8.4	0.08	0.480N/mm	
	H0147	SWPA	0.35	2.9	6	8	6.0	0.06	1.5N/mm	
	H0148	SWPA	0.35	3.1	5	7	5.5	0.05	1.47N/mm	
	H0149	SWPB	0.35	3.1	6	8	7.3	0.06	1.254N/mm	
	H0150	SWPB	0.35	3.0	2.5	4.5	6	0.03	3.23N/mm	
	H0151	SWPB	0.35	3.1	3.5	5.5	5.2	0.04	2.019N/mm	
	H0152	SWPB	0.35	2.9	4	6	6.5	0.04	2.254N/mm	
	H0153	SWPB	0.35	2.9	3	5	6.5	0.03	2.96N/mm	
	H0154	SWPB	0.35	2.8	7	9	7.8	0.06	1.431N/mm	
	H0155	SWPB	0.35	3.0	5	7	7.4	0.05	1.578N/mm	
	H0156	SWPA	0.35	3.0	8	12	12.1	0.09	0.99N/mm	
	H0157	SWPA	0.35	2.8	14	16	17	0.11	0.71N/mm	
	H0158	SWPA	0.35	2.7	6	10	9.1	0.06	1.89N/mm	
	H0159	SWPA	0.35	2.8	11	13	12.4	0.09	0.905N/mm	
	H0160	SWPA	0.35	2.9	5	7	6	0.05	1.8N/mm	
	H0161	SWPA	0.35	2.6	24	28	21	0.17	0.535N/mm	
	H0162	SWPA	0.35	2.6	12	16	17.2	0.10	1.07N/mm	
	H0163	SWPA	0.35	3.0	4.5	8.5	9	0.06	1.75N/mm	
	H0164	SWPA	0.35	2.6	10	14	20	0.09	1.28N/mm	
	H0165	SWPA	0.35	3	12	14	12	0.10	0.66N/mm	
	H0166	SWPA	0.35	3.7	10	12	15	0.11	0.39N/mm	
	H0167	SWPA	0.35	2.7	6	10	7.8	0.06	1.89N/mm	
	H0168	SWPA	0.35	3.0	5.5	7.5	6.6	0.05	1.44N/mm	
	H0169	SWPA	0.35	3.0	8	10	6.2	0.07	0.987N/mm	
	H0170	SWPA	0.35	2.4	12	14	8.49	0.08	1.42N/mm	
	H0171	SWPA	0.35	3.5	25	27	31.5	0.22	1.842N/mm	
	H0172	SWPA	0.35	3.0	4.5	6.5	8.5	0.05	1.754N/mm	
	H0173	SWPA	0.35	3.1	5	8	6.5	0.06	1.411N/mm	
	H0174	SWPA	0.35	3.8	9	11	14.29	0.10	0.402N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0175	SWPA	0.35	2.5	11	15	13.5	0.09	1.34N/mm	
	H0176	SWPA	0.35	3.3	6	8	6.13	0.06	0.95N/mm	
	H0177	SWPA	0.35	3.3	12.5	14.5	22	0.11	0.245N/mm	
	H0178	SWPA	0.35	2.7	8	10	9.9	0.06	0.657N/mm	
	H0179	SWPA	0.35	2.7	7	9	8.1	0.06	1.62N/mm	
	H0180	SWPA	0.35	2.9	6	10	11.97	0.07	1.48N/mm	
	H0181	SWPA	0.35	2.9	4	6	7	0.04	2.21N/mm	
	H0182	SWPA	0.35	3.0	2	4	4.9	0.03	3.92N/mm	
	H0183	SWPB	0.35	2.8	7	11	8.74	0.07	1.421N/mm	
	H0184	SWPA	0.35	3.0	2	4	4.9	0.03	3.949N/mm	
	H0185	SWPA	0.35	3.1	6	10	8.1	0.07	1.18N/mm	
	H0186	SWPA	0.35	2.8	4.5	6.5	5.4	0.04	0.98N/mm	
	H0187	SWPB	0.35	3.0	5.5	7.5	7.4	0.05	1.441N/mm	
	H0188	SWPA	0.35	3.0	8	10	9	0.07	0.98N/mm	
	H0189	SWPA	0.35	3.0	4	6	6.2	0.04	1.98N/mm	
	H0190	SWPA	0.35	3.0	11	13	15	0.09	0.353N/mm	
	H0191	SWPA	0.35	2.9	6.5	8.5	8.1	0.06	1.362N/mm	
	H0192	SWPA	0.35	3.0	4	6	5.42	0.04	1.97N/mm	
	H0193	SWPB	0.35	3.0	6.5	12.5	10.6	0.09	1.215N/mm	
	H0194	SWPA	0.35	3.7	8	10	11.6	0.09	0.480N/mm	
	H0195	SWPA	0.35	3.1	6	8	8.2	0.06	1.27N/mm	
0.4	H0196	SUS304-WPB	0.4	2.8	11	13	11	0.12	1.49N/mm	
	H0197	SWPA	0.4	3.0	7	9	11	0.09	2.038N/mm	
	H0198	SWPA	0.4	4.2	10	12	13	0.16	0.480N/mm	
	H0199	SWPA	0.4	3.0	5	7	5.5	0.07	2.842N/mm	
	H0200	SWPA	0.4	3.1	7	9	7.5	0.09	1.96N/mm	
	H0201	SWPA	0.4	2.9	6.5	8.5	8	0.08	2.47N/mm	
	H0202	SWPA	0.4	2.9	5	7	6.2	0.07	3.332N/mm	
	H0203	SWPA	0.4	2.8	9	11	10	0.10	2.058N/mm	
	H0204	SWPA	0.4	3.1	7	9	7.7	0.09	1.823N/mm	
	H0205	SWPA	0.4	3.6	8.5	10.5	14.24	0.12	0.46N/mm	
	H0206	SWPA	0.4	4.0	6.5	8.5	10.8	0.11	0.823N/mm	
	H0207	SUS304-WPB	0.4	4	7.5	9.5	10.8	0.12	0.627N/mm	
	H0208	SWPA	0.4	2.3	13	15	19.2	0.11	19.2N/mm	
	H0209	SWPA	0.4	4.5	6.5	8.5	13.3	0.12	0.559N/mm	
	H0210	SWPA	0.4	5.8	9.5	11.5	30.6	0.22	0.167N/mm	
	H0211	SUS304-WPB	0.4	2.7	12	14	10.2	0.12	0.657N/mm	
	H0212	SWPA	0.4	5.0	30.5	32.5	15	0.53	0.078N/mm	
	H0213	SWPA	0.4	2.9	12	16	12.4	0.15	1.34N/mm	
	H0214	SWPA	0.4	4.0	9.5	11.5	14	0.15	0.568N/mm	
	H0215	SWPA	0.4	2.9	5	7	8.8	0.07	3.214N/mm	
	H0216	SWPA	0.4	2.7	7	11	7.9	0.10	3.87N/mm	
	H0217	SWPA	0.4	2.8	9	11	9	0.10	2.01N/mm	
	H0218	SWPA	0.4	3.1	6	8	7.14	0.08	2.12N/mm	
	H0219	SWPA	0.4	2.7	9.5	13.5	10.7	0.12	2.18N/mm	
	H0220	SWPA	0.4	3.0	4.5	8.5	5.4	0.08	3.17N/mm	
	H0221	SWPA	0.4	3.0	5.5	7.5	5.6	0.07	2.6N/mm	
	H0222	SWPB	0.4	3.1	6	8	7.6	0.08	2.12N/mm	
	H0223	SUS304-WPB	0.4	5.6	4.5	6.5	11.4	0.12	0.372N/mm	
	H0224	SWPA	0.4	3.8	9	11	9.4	0.14	0.706N/mm	
	H0225	SWPA	0.4	3.8	7.5	9.5	9.7	0.12	0.784N/mm	
	H0226	SWPA	0.4	3.8	6	8	8.5	0.10	1.058N/mm	
	H0227	SWPA	0.4	2.3	7	9	9.7	0.07	5.223N/mm	
	H0228	SWPB	0.4	4.2	8	12	18	0.16	0.568N/mm	
	H0229	SWPA	0.4	3.0	8	10	7.2	0.10	1.764N/mm	
	H0230	SWPB	0.4	3.7	12	14	20.2	0.17	0.578N/mm	
	H0231	SWPA	0.4	3.0	5	7	7.5	0.07	2.842N/mm	
	H0232	SWPA	0.4	3.0	3.5	5.5	4.87	0.05	4.08N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	バネ定数	備考
	H0233	SWPA	0.4	6.9	6	8	29.6	0.18	1.078N/mm	
	H0234	SWPA	0.4	6.2	4.5	7.5	18.8	0.15	0.186N/mm	
	H0235	SWPA	0.4	3.2	13	15	12	0.16	0.882N/mm	
	H0236	SWPA	0.4	4.5	6	10	9.23	0.15	0.608N/mm	
	H0237	SWPA	0.4	3.1	8	12	10.5	0.12	1.597N/mm	
	H0238	SWPA	0.4	3.0	6	8	9.81	0.08	3.812N/mm	
	H0239	SWPA	0.4	5.0	10	14	24.8	0.23	0.255N/mm	
	H0240	SWPA	0.4	3.4	11.5	15.5	22.5	0.17	0.392N/mm	
	H0241	SWPA	0.4	2.9	4	6	8.08	0.06	4.008N/mm	
	H0242	SWPA	0.4	3.0	6	8	7.64	0.08	2.381N/mm	
	H0243	SWPA	0.4	5.8	8	10	26.8	0.19	0.196N/mm	
	H0244	SWPA	0.4	3.0	11	13	13.2	0.13	1.298N/mm	
	H0245	SWPA	0.4	3.0	8	10	9.5	0.10	1.78N/mm	
	H0246	SWPA	0.4	3.05	8	10	22.9	0.10	0.76N/mm	
	H0247	SWPA	0.4	4.0	7	9	19	0.12	0.421N/mm	
	H0248	SWPA	0.4	4.0	10	12	19.5	0.16	0.294N/mm	
	H0249	SWPA	0.4	4.0	13	15	21.9	0.20	0.226N/mm	
	H0250	SWPA	0.4	3.8	4	6	6.2	0.07	1.59N/mm	
	H0251	SWPA	0.4	2.9	6.5	8.5	8.4	0.08	2.47N/mm	
	H0252	SWPA	0.4	3.0	8	12	11.5	0.12	1.784N/mm	
	H0253	SWPA	0.4	3.8	8	12	9.7	0.15	0.794N/mm	
	H0254	SWPA	0.4	2.5	14	16	11.5	0.13	1.931N/mm	
	H0255	SWPA	0.4	2.3	4	6	4.15	0.04	9.143N/mm	
	H0256	SUS304-WPB	0.4	6.1	13	15	24.1	0.30	0.059N/mm	
	H0257	SUS304-WPB	0.4	4.8	6	8	12.6	0.13	0.45N/mm	
	H0258	SWPA	0.4	4.9	5	7	12.5	0.11	0.549N/mm	
	H0259	SWPA	0.4	3.0	5	7	8.7	0.07	2.852N/mm	
	H0260	SWPB	0.4	2.9	4	6	6.5	0.06	4.018N/mm	
	H0261	SWPB	0.4	2.7	7	9	9.8	0.08	2.94N/mm	
	H0262	SWPA	0.4	3.4	4.5	6.5	6.5	0.07	2.058N/mm	
	H0263	SWPA	0.4	2.8	7	9	9.5	0.08	2.597N/mm	
	H0264	SWPA	0.4	3.0	9	11	8.5	0.11	1.568N/mm	
	H0265	SWPA	0.4	3.8	7	9	7	0.11	0.911N/mm	
	H0266	SWPA	0.4	3.8	4	6	7	0.07	1.57N/mm	
	H0267	SWPA	0.4	3.8	12	14	17.5	0.17	0.529N/mm	
	H0268	SWPA	0.4	2.8	14	16	11.2	0.15	1.29N/mm	
	H0269	SWPB	0.4	2.9	5	7	6.5	0.07	3.234N/mm	
	H0270	SWPB	0.4	2.8	5	7	5.1	0.06	3.626N/mm	
	H0271	SWPA	0.4	3.2	10	14	11.7	0.15	1.137N/mm	
	H0272	SWPA	0.4	2.9	5	7	8	0.07	3.214N/mm	
	H0273	SWPA	0.4	3.0	4	6	5	0.06	3.567N/mm	
	H0274	SWPA	0.4	2.9	5	7	8	0.07	3.234N/mm	
	H0275	SWPA	0.4	2.8	11	13	10	0.12	1.666N/mm	
	H0276	SWPB	0.4	5.8	14	16	36.8	0.30	0.118N/mm	
	H0277	SWPB	0.4	3.6	5	7	6.4	0.08	1.529N/mm	
	H0278	SWPA	0.4	2.3	6	8	4.7	0.06	6.096N/mm	
	H0279	SWPA	0.4	2.8	8	10	9	0.09	2.254N/mm	
	H0280	SWPB	0.4	3.0	5	7	6.6	0.07	2.852N/mm	
	H0281	SWPA	0.4	3.0	8	10	10.7	0.10	1.784N/mm	
	H0282	SWPA	0.4	2.8	10	12	11.5	0.11	1.81N/mm	
	H0283	SWPB	0.4	3.9	10	12	16.8	0.15	0.578N/mm	
	H0284	SWPA	0.4	3.1	6	8	6.6	0.08	2.117N/mm	
	H0285	SWPA	0.4	3.1	3	5	4.64	0.05	4.25N/mm	
0.45	H0286	SWPB	0.45	4.4	6	8	12.5	0.14	1.137N/mm	
	H0287	SWPA	0.45	3.6	5	7	6.5	0.10	2.646N/mm	
	H0288	SWPA	0.45	3.6	6	8	6.4	0.11	2.254N/mm	
	H0289	SWPA	0.45	3.0	6	8	7.8	0.09	4.018N/mm	
	H0290	SWPA	0.45	3.8	10	12	13.5	0.18	1.06N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	バネ定数	備考
	H0291	SWPB	0.45	3.8	15	19	22.5	0.28	0.713N/mm	
	H0292	SWPA	0.45	2.9	9.5	13.5	12.1	0.15	2.88N/mm	
	H0293	SWPA	0.45	2.8	11.5	15.5	11.4	0.17	2.68N/mm	
	H0294	SWPB	0.45	3.8	17.5	19.5	24.2	0.29	0.6N/mm	
	H0295	SWPA	0.45	3.0	9	13	12.1	0.15	2.7N/mm	
	H0296	SWPA	0.45	3.3	23	25	14.5	0.32	0.69N/mm	
	H0297	SWPA	0.45	3.15	26	28	23	0.35	0.786N/mm	
	H0298	SWPA	0.45	3.1	15.5	19.5	15.3	0.24	1.392N/mm	
	H0299	SWPA	0.45	3.9	11	13	16.95	0.20	0.89N/mm	
	H0300	SWPA	0.45	3.0	11	13	10.6	0.15	2.205N/mm	
	H0301	SWPA	0.45	5.0	13	15	23.7	0.29	0.328N/mm	
	H0302	SWPA	0.45	5.0	13	15	21.16	0.29	0.323N/mm	
	H0303	SWPA	0.45	2.75	8	12	9.18	0.13	4.13N/mm	
	H0304	SWPA	0.45	3.0	9	11	6.8	0.13	2.695N/mm	
	H0305	SWPA	0.45	3.0	7.5	9.5	8	0.11	3.234N/mm	
	H0306	SWPA	0.45	3.0	7	9	7.8	0.11	3.46N/mm	
	H0307	SWPA	0.45	4.0	10	12	23.4	0.19	0.46N/mm	
	H0308	SWPA	0.45	5.0	13	15	24.7	0.29	0.32N/mm	
	H0309	SWPA	0.45	3.1	10.5	14.5	14.1	0.18	2.06N/mm	
	H0310	SWPA	0.45	3.0	5.5	7.5	6.04	0.09	4.4N/mm	
	H0311	SWPA	0.45	3.6	3.5	5.5	6.4	0.08	3.72N/mm	
	H0312	SWPA	0.45	3.0	9	11	7.9	0.13	3.43N/mm	
	H0313	SWPA	0.45	2.9	7	9	8.4	0.10	3.92N/mm	
	H0314	SWPA	0.45	3.0	10	14	12.1	0.16	2.42N/mm	
	H0315	SWPA	0.45	3.0	9	11	6.92	0.13	2.646N/mm	
	H0316	SWPA	0.45	3.9	3.5	5.5	6.4	0.08	2.842N/mm	
	H0317	SWPB	0.45	3.15	6	8	8.5	0.10	3.401N/mm	
	H0318	SWPA	0.45	2.9	10	12	9.5	0.14	2.734N/mm	
	H0319	SWPA	0.45	3.0	14	18	12.3	0.21	1.725N/mm	
	H0320	SWPA	0.45	3.0	11.5	15.5	12.3	0.18	2.107N/mm	
	H0321	SWPA	0.45	3.0	10	14	11.9	0.16	2.42N/mm	
	H0322	SWPA	0.45	3.0	8.5	12.5	12.1	0.15	2.842N/mm	
	H0323	SWPA	0.45	3.1	8	10	9.14	0.12	2.7N/mm	
	H0324	SWPA	0.45	3.0	9	11	8.31	0.13	2.38N/mm	
	H0325	SWPB	0.45	2.9	7	9	7.75	0.10	3.9N/mm	
	H0326	SWPA	0.45	2.9	7.5	9.5	7.8	0.11	3.64N/mm	
	H0327	SWPB	0.45	6.2	10	12	26.7	0.29	0.206N/mm	
	H0328	SWPB	0.45	2.9	8.5	10.5	9.07	0.12	3.21N/mm	
	H0329	SWPA	0.45	4.7	3.5	5.5	7.8	0.10	1.499N/mm	
	H0330	SWPB	0.45	3.15	6	8	8.5	0.10	3.401N/mm	
	H0331	SWPB	0.45	2.9	7	9	8.55	0.10	3.9N/mm	
	H0332	SWPB	0.45	5.0	6	8	14.6	0.16	0.706N/mm	
	H0333	SWPB	0.45	2.3	10	12	8.15	0.11	6.341N/mm	
	H0334	SWPB	0.45	2.9	8	10	9.5	0.11	3.42N/mm	
	H0335	SWPA	0.45	2.9	8	10	8.1	0.11	3.41N/mm	
	H0336	SWPA	0.45	3.0	6	8	6.8	0.09	4.018N/mm	
	H0337	SWPB	0.45	3.0	4	6	6.3	0.07	6.056N/mm	
	H0338	SWPA	0.45	3.0	4.5	6.5	5.16	0.08	5.39N/mm	
	H0339	SWPA	0.45	5.8	6.5	8.5	13.5	0.19	0.402N/mm	
	H0340	SWPA	0.45	3.15	30	32	32	0.40	0.676N/mm	
	H0341	SWPA	0.45	3.8	8	12	11.7	0.18	1.333N/mm	
	H0342	SWPA	0.45	5.1	18	20	25.7	0.40	0.216N/mm	
	H0343	SWPB	0.45	4.3	7.5	9.5	15	0.16	0.938N/mm	
	H0344	SWPA	0.45	2.3	7	9	5.5	0.08	9.065N/mm	
	H0345	SWPA	0.45	4.2	12	14	22	0.23	0.333N/mm	
	H0346	SWPA	0.45	5.35	4	6	10.5	0.13	0.853N/mm	
	H0347	SWPA	0.45	2.9	4.5	6.5	5.9	0.07	6.076N/mm	
	H0348	SWPA	0.45	3.15	27	29	23	0.36	0.755N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0349	SWPA	0.45	2.9	6	8	8.1	0.09	4.508N/mm	
	H0350	SWPA	0.45	3.0	11.5	13.5	10	0.16	2.107N/mm	
	H0351	SWPB	0.45	5.25	4	6	11.4	0.12	0.539N/mm	
	H0352	SWPB	0.45	3.0	4	6	6.4	0.07	6.056N/mm	
	H0353	SWPA	0.45	3.3	6	8	9.9	0.10	1.264N/mm	
	H0354	SWPA	0.45	4.9	8	10	17	0.19	0.568N/mm	
	H0355	SWPA	0.45	4.4	7	9	15	0.16	0.98N/mm	
0.5	H0356	SWPA	0.5	4.7	4	6	7.5	0.14	2.156N/mm	
	H0357	SWPA	0.5	6.0	4	6	11	0.17	0.921N/mm	
	H0358	SWPA	0.5	4.6	4	6	10.7	0.13	2.45N/mm	
	H0359	SWPA	0.5	4.5	4	6	6.4	0.13	2.499N/mm	
	H0360	SWPA	0.5	2.8	5	7	7.3	0.09	10.094N/mm	
	H0361	SWPA	0.5	3.1	20	22	17.9	0.33	1.764N/mm	
	H0362	SWPA	0.5	4.8	6	8	8	0.19	1.372N/mm	
	H0363	SWPA	0.5	4.5	3	5	6	0.11	3.283N/mm	
	H0364	SWPA	0.5	3.5	3	6	7	0.10	7.57N/mm	
	H0365	SWPA	0.5	5.0	24	26	16	0.63	0.304N/mm	
	H0366	SWPA	0.5	2.9	16	18	25.8	0.25	2.33N/mm	
	H0367	SWPA	0.5	2.9	16	18	27	0.25	2.77N/mm	
	H0368	SWPA	0.5	3.8	14	16	15.9	0.29	1.215N/mm	
	H0369	SWPB	0.5	3.8	17.5	19.5	23.7	0.36	0.970N/mm	
	H0370	SWPA	0.5	3.0	8.5	12.5	11.7	0.18	4.61N/mm	
	H0371	SWPB	0.5	3.65	31	33	31.8	0.58	0.637N/mm	
	H0372	SWPA	0.5	5.1	16	18	28	0.44	0.392N/mm	
	H0373	SWPA	0.5	2.9	7	9	7.8	0.13	6.3N/mm	
	H0374	SUS304-WPB	0.5	5.6	21	23	39.5	0.63	0.196N/mm	
	H0375	SWPA	0.5	3.0	7.5	11.5	11.99	0.17	5.22N/mm	
	H0376	SWPA	0.5	3.3	22	24	23	0.38	12.68N/mm	
	H0377	SWPA	0.5	2.7	11.5	13.5	10.42	0.18	5.0N/mm	
	H0378	SWPA	0.5	3.8	16	18	19	0.33	1.07N/mm	
	H0379	SWPA	0.5	3.0	9.5	11.5	11	0.17	4.13N/mm	
	H0380	SUS304-WPB	0.5	5.5	14	18	34.9	0.48	3.018N/mm	
	H0381	SWPA	0.5	3.0	9.5	11.5	11.5	0.17	4.13N/mm	
	H0382	SUS304-WPB	0.5	3.9	9.5	11.5	13.6	0.22	1.44N/mm	
	H0383	SWPB	0.5	4.3	11	13	27	0.27	0.500N/mm	
	H0384	SWPB	0.5	3.7	6	8	17.3	0.14	3.107N/mm	
	H0385	SWPB	0.5	4.8	15.5	17.5	29.6	0.41	0.5N/mm	
	H0386	SWPA	0.5	8.5	6	8	24.3	0.33	0.196N/mm	
	H0387	SWPA	0.5	5.5	10	12	21	0.32	0.490N/mm	
	H0388	SWPB	0.5	3.0	5	7	6.4	0.10	7.84N/mm	
	H0389	SWPB	0.5	3.9	25	27	29.9	0.51	0.63N/mm	
	H0390	SWPB	0.5	3.8	11	13	17.7	0.24	1.548N/mm	
	H0391	SWPB	0.5	2.7	5.5	7.5	6.3	0.10	10.388N/mm	
	H0392	SWPB	0.5	3.0	5	7	6.6	0.10	7.84N/mm	
	H0393	SWPA	0.5	6.2	7	9	18.7	0.27	0.470N/mm	
	H0394	SWPA	0.5	4.8	13	15	20.1	0.35	0.59N/mm	
	H0395	SWPA	0.5	3.8	6.5	8.5	10.8	0.16	2.64N/mm	
	H0396	SWPB	0.5	6.2	7	9	18.7	0.27	0.470N/mm	
	H0397	SWPA	0.5	3.8	10	14	13.6	0.26	1.705N/mm	
	H0398	SWPA	0.5	3.8	11	13	13	0.24	1.548N/mm	
	H0399	SWPA	0.5	3.1	5.5	7.5	8.58	0.11	6.331N/mm	
	H0400	SWPA	0.5	3.9	4.5	6.5	8.1	0.12	3.46N/mm	
	H0401	SWPA	0.5	3.8	5	7	7.1	0.13	0.341N/mm	
	H0402	SWPA	0.5	3.8	16	20	21.5	0.37	1.07N/mm	
	H0403	SWPA	0.5	4.8	13	15	17.7	0.35	0.593N/mm	
	H0404	SWPA	0.5	5.6	11	13	29.7	0.35	0.421N/mm	
	H0405	SWPB	0.5	2.9	6.5	8.5	8.1	0.12	6.81N/mm	
	H0406	SWPA	0.5	3.0	7.5	9.5	8.6	0.14	5.223N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0407	SWPA	0.5	3.8	5	7	8.47	0.13	3.401N/mm	
	H0408	SWPA	0.5	3.8	6	8	7.89	0.15	2.832N/mm	
	H0409	SWPB	0.5	2.9	6.5	8.5	8.19	0.12	6.811N/mm	
	H0410	SWPB	0.5	2.75	9	11	10.2	0.15	6.0N/mm	
	H0411	SWPB	0.5	3.0	5	7	6.2	0.10	7.84N/mm	
	H0412	SWPA	0.5	4.0	3.5	5.5	7	0.11	4.116N/mm	
	H0413	SWPA	0.5	3.6	4.5	6.5	6.5	0.11	4.508N/mm	
	H0414	SWPB	0.5	2.8	5	7	7.8	0.09	9.8N/mm	
	H0415	SWPB	0.5	5.2	9	11	20.5	0.28	0.655N/mm	
	H0416	SWPB	0.5	3.5	7	9	9.3	0.15	3.234N/mm	
	H0417	SUS304-WPB	0.5	5.65	5	7	12.6	0.19	0.784N/mm	
	H0418	SWPA	0.5	3.0	8	10	9.7	0.15	4.9N/mm	
	H0419	SWPA	0.5	3.4	9	11	17.8	0.18	1.147N/mm	
	H0420	SWPA	0.5	6.5	5	7	12.42	0.22	0.568N/mm	
	H0421	SWPB	0.5	3.0	8	10	8.3	0.15	4.9N/mm	
	H0422	SWPA	0.5	4.4	4	6	8	0.13	2.58N/mm	
	H0423	SWPA	0.5	3.8	13	15	14.7	0.28	1.313N/mm	
	H0424	SWPA	0.5	4.2	10	12	18	0.24	0.588N/mm	
	H0425	SWPA	0.5	5.6	18	20	42.5	0.54	0.255N/mm	
	H0426	SWPA	0.5	4.8	4	6	14	0.14	1.921N/mm	
	H0427	SWPA	0.5	5.8	10	12	13.4	0.34	0.412N/mm	
	H0428	SWPA	0.5	4.6	6	8	11.5	0.18	1.48N/mm	
	H0429	SWPA	0.5	3.7	25	29	27.8	0.52	0.745N/mm	
	H0430	SWPA	0.5	3.8	7.5	9.5	13	0.17	2.254N/mm	
	H0431	SWPA	0.5	4.2	6	8	12.5	0.16	0.98N/mm	
	H0432	SWPB	0.5	2.9	6.5	8.5	8.4	0.12	6.811N/mm	
	H0433	SWPA	0.5	6.0	5	7	20	0.20	0.451N/mm	
	H0434	SWPA	0.5	4.95	2	4	4	0.10	3.469N/mm	
0.55	H0435	SWPA	0.55	4.5	5	7	10	0.18	3.048N/mm	
	H0436	SWPA	0.55	9.5	4	8	16.2	0.45	0.31N/mm	
	H0437	SWPA	0.55	8.4	5	7	17.9	0.34	0.363N/mm	
	H0438	SWPA	0.55	4.2	11.5	13.5	26	0.33	0.725N/mm	
	H0439	SUS304-WPB	0.55	7.4	7	9	10.83	0.39	0.363N/mm	
	H0440	SWPA	0.55	3.8	11	13	16.3	0.29	2.37N/mm	
	H0441	SWPA	0.55	3.8	9.5	11.5	16.1	0.26	2.75N/mm	
	H0442	SWPA	0.55	3.8	11	13	16	0.29	2.38N/mm	
	H0443	SWPA	0.55	4.2	11.5	13.5	26	0.33	0.73N/mm	
	H0444	SWPA	0.55	3.45	11	13	15.7	0.26	3.34N/mm	
	H0445	SWPB	0.55	3.8	11	13	17.9	0.29	2.38N/mm	
	H0446	SWPA	0.55	8.0	12	14	34.6	0.66	0.176N/mm	
	H0447	SWPB	0.55	3.1	7	9	8.33	0.16	7.722N/mm	
	H0448	SWPA	0.55	5.3	14	16	27.5	0.50	0.598N/mm	
	H0449	SWPA	0.55	4.7	8.5	10.5	16.1	0.29	1.47N/mm	
	H0450	SWPA	0.55	8.0	15	17	28.6	0.80	0.137N/mm	
	H0451	SWPB	0.55	4.7	12	14	19.4	0.39	1.039N/mm	
	H0452	SWPA	0.55	3.0	6	8	7.34	0.14	1.019N/mm	
	H0453	SWPB	0.55	6.0	12	16	31.4	0.56	0.461N/mm	
	H0454	SWPB	0.55	4.7	13	15	23.8	0.41	0.960N/mm	
	H0455	SWPA	0.55	3.3	10.5	12.5	19	0.24	1.489N/mm	
	H0456	SWPA	0.55	6.6	20	22	59	0.85	0.196N/mm	
	H0457	SWPB	0.55	5.3	8	10	18	0.31	1.049N/mm	
	H0458	SWPA	0.55	4.5	5	7	9	0.18	3.048N/mm	
	H0459	SWPB	0.55	3.55	7	9	8.8	0.19	4.74N/mm	
	H0460	SWPA	0.55	6.0	8	10	19	0.35	0.696N/mm	
	H0461	SWPA	0.55	4.6	6	8	10.1	0.22	2.254N/mm	
	H0462	SWPB	0.55	4.6	2.5	4.5	7.3	0.12	5.39N/mm	
	H0463	SWPB	0.55	4.5	8	10	14.5	0.26	1.764N/mm	
	H0464	SWPA	0.55	4.7	9.5	11.5	31.5	0.32	0.647N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0465	SWPA	0.55	4.55	3	5	7.7	0.13	4.508N/mm	
0.6	H0466	SWPA	0.6	5.8	5	7	13	0.28	1.803N/mm	
	H0467	SWPA	0.6	6	12	15	27	0.63	0.706N/mm	
	H0468	SWPA	0.6	4.6	4	6	9.4	0.19	4.9N/mm	
	H0469	SWPA	0.6	5.5	6	8	22	0.31	0.931N/mm	
	H0470	SWPA	0.6	11.6	4	6	20	0.49	0.235N/mm	
	H0471	SWPB	0.6	4.6	6	8	10.5	0.26	3.332N/mm	
	H0472		0.6	9.0	3	5	17	0.31	0.745N/mm	
	H0473	SWPA	0.6	6.6	10	12	36	0.55	0.588N/mm	
	H0474	SWPA	0.6	10.0	7	9	32.1	0.63	0.152N/mm	
	H0475	SWPA	0.6	3.8	17.5	19.5	20.7	0.52	2.215N/mm	
	H0476	SWPA	0.6	5.7	7	9	15.78	0.36	1.372N/mm	
	H0477	SWPA	0.6	10.6	3	5	12.1	0.37	0.421N/mm	
	H0478	SWPA	0.6	4.6	12	14	21.8	0.45	1.656N/mm	
	H0479	SUS304-WPB	0.6	7.4	8	10	13.4	0.52	0.461N/mm	
	H0480	SWPA	0.6	6.6	11	13	28.8	0.60	0.534N/mm	
	H0481	SWPA	0.6	3.6	6	10	9.55	0.25	7.84N/mm	
	H0482	SWPA	0.6	5.5	6	12	21	0.46	0.928N/mm	
	H0483	SUS304-WPB	0.6	5.6	11	13	21.3	0.51	0.862N/mm	
	H0484	SWPB	0.6	4.2	3.5	5.5	10	0.16	7.84N/mm	
	H0485	SUS304-WPB	0.6	6.6	9	12	30.5	0.55	0.568N/mm	
	H0486	SWPA	0.6	8.8	4	6	13.5	0.37	0.568N/mm	
	H0487	SWPB	0.6	4.75	4	6	8.7	0.20	4.44N/mm	
	H0488	SWPA	0.6	6.3	6	8	17	0.35	0.637N/mm	
	H0489	SWPB	0.6	6.4	10	12	25.9	0.54	0.647N/mm	
	H0490	SWPA	0.6	7.2	15	17	42.8	0.85	0.294N/mm	
	H0491	SWPB	0.6	6.6	11	13	30.7	0.60	0.529N/mm	
	H0492	SWPA	0.6	3.0	8	10	10.5	0.21	11.476N/mm	
	H0493	SWPB	0.6	6.2	7	9	16.7	0.39	1.029N/mm	
	H0494	SWPB	0.6	6.4	8	10	23.7	0.45	0.813N/mm	
	H0495	SUS304-WPB	0.6	5.8	11	14	29.5	0.57	0.735N/mm	
	H0496	SUS304-WPB	0.6	5.8	11	14	30.1	0.57	0.735N/mm	
	H0497	SWPB	0.6	4.0	9	12	16.2	0.33	3.587N/mm	
	H0498	SWPB	0.6	4.0	11	14	17.3	0.39	2.93N/mm	
	H0499	SWPA	0.6	4.6	12	14	21.1	0.45	1.66N/mm	
	H0500	SWPA	0.6	4.0	10	12	16.2	0.33	1.274N/mm	
	H0501	SWPA	0.6	6.8	7.5	9.5	26.5	0.45	0.706N/mm	
	H0502	SWPA	0.6	6.8	7.5	9.5	26.5	0.45	0.715N/mm	
	H0503	SWPB	0.6	3.8	13.5	16.5	17.8	0.44	2.871N/mm	
	H0504	SWPA	0.6	3.7	14	16	17.1	0.41	3.029N/mm	
	H0505	SWPA	0.6	4.6	12	14	20.7	0.45	1.66N/mm	
0.65	H0506	SWPB	0.65	7.0	8	10	22.3	0.57	0.882N/mm	
	H0507	SWPA	0.65	4.8	8.5	10.5	13.4	0.41	2.842N/mm	
	H0508	SWPA	0.65	12	4	6	22.8	0.59	2.989N/mm	
	H0509	SWPA	0.65	4.7	7	9	13.6	0.35	3.763N/mm	
	H0510	SWPA	0.65	7.0	8	10	18.5	0.57	0.49N/mm	
	H0511	SWPA	0.65	11	6.5	8.5	41.5	0.77	0.170N/mm	
	H0512	SWPA	0.65	4.6	8.5	10.5	14.5	0.40	3.342N/mm	
	H0513	SWPA	0.65	8.0	14.5	16.5	27.7	1.08	0.304N/mm	
	H0514	SWPA	0.65	12.4	3	7	16.3	0.71	3.528N/mm	
	H0515	SUS304-WPB	0.65	6.1	8.5	10.5	25.5	0.53	0.588N/mm	
	H0516	SWPA	0.65	4.7	11	15	17.57	0.58	2.4N/mm	
	H0517	SWPA	0.65	11.8	2	5	7.93	0.48	0.628N/mm	
	H0518	SWPA	0.65	12.4	2.5	4.5	12	0.46	0.43N/mm	
	H0519	SWPA	0.65	9.5	3.5	7.5	10.5	0.58	0.725N/mm	
	H0520	SWPA	0.65	4.6	16	18	25.5	0.68	1.78N/mm	
	H0521	SUS304-WPB	0.65	6.1	12.5	14.5	30.3	0.73	0.804N/mm	
	H0522	SWPB	0.65	5.8	3	5	9.3	0.24	4.263N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0524	SWPA	0.65	7.0	10	12	20	0.69	0.382N/mm	
	H0525	SWPA	0.65	5.8	15	19	28.45	0.90	0.431N/mm	
	H0526	SWPB	0.65	4.7	15	17	24	0.65	1.754N/mm	
	H0527	SUS304-WPB	0.65	5.0	5.5	7.5	17	0.31	1.646N/mm	
	H0528	SWPA	0.65	14.8	2	5	12	0.61	0.31N/mm	
	H0529	SWPA	0.65	3.95	9.5	11.5	13.4	0.37	5.13N/mm	
	H0530	SWPA	0.65	4.7	9	13	19	0.50	2.92N/mm	
	H0531	SWPA	0.65	10	9	11	32.6	0.90	0.16N/mm	
	H0532	SWPA	0.65	4.6	11.5	13.5	19.2	0.51	2.47N/mm	
	H0533	SWPB	0.65	4.7	9.5	15.5	19.9	0.60	2.77N/mm	
	H0534	SWPA	0.65	7.0	7	9	22.6	0.52	0.98N/mm	
0.7	H0535	SWPB	0.7	4.7	4	6	8.2	0.27	9.114N/mm	
	H0536	SWPA	0.7	4.5	6	8	12.5	0.34	6.86N/mm	
	H0537	SWPA	0.7	7.6	5.5	7.5	14	0.54	1.323N/mm	
	H0538	SWPA	0.7	6.7	12	14	25	0.89	0.902N/mm	
	H0539	SUS304-WPB	0.7	6.2	10	12	29.5	0.71	1.235N/mm	
	H0540	SWPA	0.7	6.0	4	6	10.3	0.34	38.416N/mm	
	H0541	SWPB	0.7	4.1	8	10	15	0.39	7.487N/mm	
	H0542	SWPA	0.7	4.7	9	13	15.5	0.58	4.08N/mm	
	H0543	SWPA	0.7	4.7	8	12	17.4	0.54	4.58N/mm	
	H0544	SWPB	0.7	6.4	8.5	10.5	19.8	0.64	1.47N/mm	
	H0545	SWPA	0.7	9.7	5	7	15	0.64	0.647N/mm	
	H0546	SWPB	0.7	3.9	6.5	8.5	10	0.31	11.045N/mm	
	H0547	SWPA	0.7	4.7	11	15	17.5	0.67	3.342N/mm	
	H0548	SWPB	0.7	4.7	8	12	17.8	0.54	4.586N/mm	
	H0549	SWPA	0.7	5.3	5.5	9.5	17.5	0.48	4.39N/mm	
	H0550	SUS304-WPB	0.7	6.1	10	12	25.7	0.70	0.696N/mm	
	H0551	SWPA	0.7	17.6	3.5	5.5	34.2	0.92	0.108N/mm	
	H0552	SUS304-WPB	0.7	4.2	9	13	19.6	0.52	1.96N/mm	
	H0553	SWPA	0.7	19.9	2	4	18.35	0.76	0.167N/mm	
	H0554	SWPA	0.7	3.8	20.5	24.5	25	0.88	3.85N/mm	
	H0555	SWPB	0.7	7.3	4	6	14.5	0.42	2.038N/mm	
	H0556	SWPA	0.7	9.0	6.5	8.5	20.5	0.73	0.627N/mm	
	H0557	SWPA	0.7	4.6	15	17	21.4	0.74	2.65N/mm	
0.75	H0558	SWPB	0.75	4.5	3.5	5.5	9.5	0.27	16.66N/mm	
	H0559	SUS304-WPB	0.75	5.9	7	9	16.4	0.58	2.842N/mm	
	H0560	SWPA	0.75	5.9	8	10	16.5	0.65	2.84N/mm	
	H0561	SWPA	0.75	6.85	8	10	16	0.75	1.705N/mm	
0.8	H0562	SWPB	0.8	8.2	26	28	89.3	2.85	0.382N/mm	
	H0563	SUS304-WPB	0.8	7.5	14	16	34.8	1.50	0.892N/mm	
	H0564	SWPA	0.8	3.8	14	16	18.5	0.75	10.49N/mm	
	H0565	SWPB	0.8	5.4	7	9	15.4	0.60	5.88N/mm	
	H0566	SWPA	0.8	5.4	18	20	37.6	1.34	2.283N/mm	
	H0567	SUS304-WPB	0.8	6.7	9	11	22.1	0.92	2.038N/mm	
	H0568	SWPB	0.8	5.3	9	11	19	0.72	4.89N/mm	
	H0569	SWPB	0.8	7.25	4	6	13.9	0.54	3.724N/mm	
	H0570	SWPA	0.8	5.4	17	19	35.6	1.27	2.421N/mm	
	H0571	SWPA	0.8	4.7	11	13	17.1	0.76	6.15N/mm	
	H0572	SWPA	0.8	5.4	10	12	15.1	0.80	4.126N/mm	
	H0573	SUS304-WPB	0.8	6.7	9	11	19.7	0.92	2.038N/mm	
	H0574	SWPA	0.8	4.5	8	10	13.6	0.56	9.898N/mm	
	H0575	SWPA	0.8	14.2	2.5	4.5	23.5	0.79	0.48N/mm	
	H0576	SUS304-WPB	0.8	5.2	10	12	22.3	0.78	1.63N/mm	
	H0577	SWPA	0.8	5.9	8	10	18	0.73	3.78N/mm	
	H0578	SWPB	0.8	3.0	4.5	6.5	10.3	0.24	17.052N/mm	
0.85	H0579	SWPB	0.85	17.9	2	4	24	1.06	0.490N/mm	
	H0580	SWPB	0.85	6.9	5	7	12.58	0.71	4.8N/mm	
	H0581	SWPB	0.85	3.0	4.5	6.5	10.3	0.29	19.894N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考	
0.9	H0583	SWPA	0.9	4.8	8	10	15.7	0.75	13.566N/mm		
	H0584	SWPB	0.9	7.0	5.5	7.5	16.8	0.82	5.3N/mm		
	H0585	SWPA	0.9	7.6	10.5	12.5	29.3	1.49	2.04N/mm		
	H0586	SWPB	0.9	4.7	13	15	24.9	1.10	9.016N/mm		
	H0587	SWPA	0.9	18.5	3.5	6	16.5	1.74	2.499N/mm		
1	H0588	SWPB	1.0	4.7	11	13	24.2	1.18	16.85N/mm		
	H0589	SWPA	1.0	4.7	16	18	25.3	1.64	12.054N/mm		
	H0590	SWPA	1.0	12.5	3	5	18	1.21	2.254N/mm		
	H0591	SWPB	1.0	7.0	7	9	16	1.22	6.8N/mm		
	H0592	SWPA	1.0	13	5	7	18	1.76	1.107N/mm		
	H0593	SWPA	1.0	7.5	10	12	23.7	1.74	3.53N/mm		
	H0594	SWPB	1.0	7.0	7	9	16.8	1.22	6.272N/mm		
	H0595	SWPA	1.0	11	5	7	25.8	1.49	2.009N/mm		
	H0596	SWPA	1.0	14	4	6	23.2	1.63	1.078N/mm		
	H0597	SWPB	1.0	5.4	6	8	13.8	0.84	19.2N/mm		
	H0598	SWPA	1.0	14	4	6	20	1.63	1.117N/mm		
	H0599	SWPA	1.0	18	5	7	31.6	2.44	0.402N/mm		
	H0600	SWPA	1.0	5.8	8	10	16.9	1.12	11.074N/mm		
	1.2	H0601	SWPB	1.2	7.0	10	12	22.1	2.34	10.388N/mm	
		H0602	SWPA	1.2	9.3	1.5	3.5	11.7	0.91	11.76N/mm	
H0603		SWPB	1.2	7.0	5	7	14.2	1.37	20.58N/mm		
H0604		SWPA	1.2	6.8	7	9	32.9	1.71	16.562N/mm		
H0605		SWPB	1.2	6.8	7	9	32.35	1.71	16.6N/mm		
1.4	H0606	SWPB	1.4	20.5	2	4	20	3.11	2.705N/mm		
	H0607	SWPA	1.4	20.7	5.5	7.5	64.3	5.89	0.627N/mm		
	H0608	SWPA	1.4	20.7	5.5	7.5	48.9	5.89	0.627N/mm		
1.8	H0609	SWPA	1.8	20.7	4	6	39.7	5.89	2.254N/mm		
2	H0610	SWPA	2.0	20.7	3	5	31.2	8.01	4.469N/mm		
	H0611	SWPA	0.35	2.6	17	21	18.33	0.13	0.756N/mm		
	H0612	SUS304-WPB	0.29	2.64	7.5	11.5	7.85	0.05	0.669N/mm		
0.29	H0613	SWPA	0.29	3.0	5	9	7.5	0.04	0.696N/mm		
	H0614	SUS304-WPB	0.29	2.64	7	11	7.55	0.05	0.716N/mm		
0.32	H0615	SWPA	0.32	2.5	5	11	8.38	0.05	1.98N/mm		
	H0616	SWPB	0.32	2.82	4	6	5.5	0.03	1.646N/mm		
	H0617	SWPB	0.32	2.9	4	6	5.6	0.03	1.5N/mm		
	H0618	SUS304-WPB	0.32	3.6	15	17	14.3	0.12	0.176N/mm		
	H0619	SWPA	0.32	3.0	7	11	12.8	0.07	0.76N/mm		
0.35	H0620	SUS304-WPB	0.35	4.1	3.25	5.25	8	0.05	0.804N/mm		
	H0621	SWPA	0.35	2.65	7	9	7.4	0.06	1.725N/mm		
	H0622	SUS304-WPB	0.35	2.6	7	11	7.52	0.07	1.744N/mm		
	H0623	SUS304-WPB	0.35	2.7	7	11	7.57	0.07	1.617N/mm		
	H0624	SUS304-WPB	0.35	2.9	15	17	13.8	0.12	0.265N/mm		
	H0625	SUS304-WPB	0.35	4.2	3	5	5.82	0.05	0.804N/mm		
0.4	H0626	SWPA	0.4	3.2	4.5	6.5	5.36	0.07	2.538N/mm		
	H0627	SWPB	0.4	4.4	5	7	9	0.10	0.823N/mm		
	H0628	SWPA	0.4	2.9	10	12	8.5	0.11	1.607N/mm		
	H0629	SWPB	0.4	2.4	20	22	14.7	0.17	1.568N/mm		
	H0630	SWPA	0.4	2.1	17	19	14.5	0.13	3.009N/mm		
	H0631	SWPA	0.4	2.8	8	10	6.8	0.09	2.254N/mm		
	H0632	SWPB	0.4	3.1	5	7	5.7	0.07	2.548N/mm		
	H0633	SWPA	0.4	3.1	8	10	7.7	0.10	1.568N/mm		
	H0634	SWPA	0.4	2.9	10	12	9.2	0.11	1.6N/mm		
	H0635	SWPB	0.4	2.3	17	19	14.7	0.14	2.342N/mm		
	H0636	SWPA	0.4	2.6	7	9	5.8	0.08	3.361N/mm		
	H0637	SWPA	0.4	7.0	4	6	8	0.14	0.21N/mm		
	H0638	SWPA	0.4	3.0	26.5	28.5	23	0.28	0.539N/mm		
	H0639	SWPB	0.4	2.4	4	6	7.15	0.05	7.84N/mm		
H0640	SWPB	0.4	5.7	10	12	25.7	0.22	0.167N/mm			

コイルパネ
(両端研削有り)

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0641	SWPA	0.4	2.4	3	5	7.2	0.04	10.44N/mm	
	H0642	SUS304-WPB	0.4	3.6	13	15	15	0.18	0.549N/mm	
	H0643	SWPA	0.4	3.0	11.5	15.5	12.1	0.15	1.245N/mm	
	H0644	SUS304-WPB	0.4	4.6	7	9	13.3	0.14	0.235N/mm	
	H0645	SWPA	0.4	3.3	12	14	17.83	0.15	0.41N/mm	
	H0646	SWPA	0.4	3.1	3	5	4.45	0.05	4.227N/mm	
	H0647	SUS304-WPB	0.4	4.1	7.5	9.5	13	0.13	0.32N/mm	
0.45	H0648	SUS304-WPB	0.45	3.6	8.5	10.5	9.96	0.15	1.411N/mm	
	H0649	SUS304-WPB	0.45	8.0	10	12	17.8	0.38	0.088N/mm	
	H0650	SWPA	0.45	2.9	7	9	7.3	0.10	3.822N/mm	
	H0651	SWPB	0.45	2.9	7	9	6.3	0.10	1.568N/mm	
	H0652	SWPB	0.45	2.9	7	9	6.8	0.10	3.92N/mm	
	H0653	SWPB	0.45	3.5	9	11	11.5	0.15	1.72N/mm	
	H0654	SWPB	0.45	7.45	6	8	25	0.23	0.196N/mm	
	H0655	SWPA	0.45	3.8	7	9	9.8	0.13	1.529N/mm	
	H0656	SWPB	0.45	2.4	11	13	9.9	0.12	4.929N/mm	
	H0657	SWPA	0.45	6.2	6	8	18	0.19	0.353N/mm	
	H0658	SWPB	0.45	3.8	5.5	7.5	8.7	0.11	1.94N/mm	
	H0659	SWPA	0.45	2.4	10	12	8.8	0.11	5.419N/mm	
	H0660	SWPB	0.45	3.8	11	13	16	0.19	0.98N/mm	
	H0661	SWPA	0.45	7.1	4	6	18.1	0.17	0.343N/mm	
	H0662	SWPA	0.45	3.0	15	17	15.4	0.20	1.61N/mm	
	H0663	SUS304-WPB	0.45	5.4	3.5	5.5	7.22	0.12	0.529N/mm	
	H0664	SWPA	0.45	8.0	5	7	20.8	0.22	0.186N/mm	
	H0665	SUS304-WPB	0.45	3.8	7	9	9.43	0.13	1.431N/mm	
	H0666	SWPA	0.45	3.35	11	13	15.5	0.17	1.499N/mm	
0.5	H0667	SWPA	0.5	3.0	11	13	10.2	0.19	3.43N/mm	
	H0668	SWPA	0.5	4.0	5	7	6.3	0.14	2.842N/mm	
	H0669	SWPB	0.5	2.9	10	12	9.6	0.17	4.43N/mm	
	H0670	SWPB	0.5	5.5	11	13	25	0.35	0.441N/mm	
	H0671	SWPA	0.5	2.9	10	12	9	0.17	4.43N/mm	
	H0672	SWPB	0.5	5.8	4.5	6.5	10.2	0.18	0.911N/mm	
	H0673	SWPA	0.5	7.5	5	7	17.8	0.25	0.353N/mm	
	H0674	SWPA	0.5	4.6	6	8	11.5	0.18	1.48N/mm	
	H0675	SWPB	0.5	7.1	5	7	21.8	0.24	0.274N/mm	
	H0676	SWPA	0.5	7.1	5	7	21	0.24	0.274N/mm	
	H0677	SUS304-WPB	0.5	2.8	24	26	20	0.35	1.96N/mm	
	H0678	SWPA	0.5	5.95	14	16	26.9	0.46	0.265N/mm	
	H0679	SWPB	0.5	4.1	12	14	27.8	0.28	0.5N/mm	
	H0680	SWPA	0.5	5.8	5	7	13.1	0.20	0.82N/mm	
0.55	H0681	SWPA	0.55	10	4	6	14.1	0.35	0.186N/mm	
	H0682	SWPA	0.55	5.0	17	19	26.5	0.56	0.666N/mm	
	H0683	SWPB	0.55	3.1	10	12	10.9	0.22	5.39N/mm	
	H0684	SWPA	0.55	3.0	12	14	17.7	0.25	5.096N/mm	
	H0685	SWPB	0.55	5.5	9	11	18.5	0.35	0.882N/mm	
	H0686	SWPB	0.55	4.75	6	8	10.2	0.22	2.0N/mm	
	H0687	SWPB	0.55	5.55	10	12	22.1	0.39	0.715N/mm	
	H0688	SWPA	0.55	5.7	3.5	5.5	12.8	0.18	1.049N/mm	
	H0689	SWPA	0.55	6.0	14	16	26.9	0.56	0.392N/mm	
	H0690	SWPA	0.55	5.7	3.5	5.5	10.7	0.18	1.049N/mm	
	H0691	SWPB	0.55	3.4	19.5	21.5	22.7	0.43	1.989N/mm	
0.6	H0692	SUS304-WPB	0.6	5.6	9	11	18.2	0.43	1.058N/mm	
	H0693	SUS304-WPB	0.6	6.0	11	13	27.2	0.55	0.686N/mm	
	H0694	SWPA	0.6	5.9	4	6	7	0.25	2.254N/mm	
	H0695	SWPB	0.6	3.8	19	21	23	0.56	2.019N/mm	左巻き
	H0696	SWPA	0.6	4.0	6.5	8.5	11	0.24	4.969N/mm	
	H0697	SWPA	0.6	5.0	4	6	7	0.21	3.92N/mm	
	H0698	SWPA	0.6	6.0	8	10	20	0.42	1.009N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0700	SWPA	0.6	8.8	4	6	13.5	0.37	0.578N/mm	
	H0701	SUS304-WPB	0.6	6.9	6.5	8.5	9.48	0.41	0.725N/mm	
	H0702	SWPA	0.6	6.8	7.5	9.5	25	0.45	0.706N/mm	
	H0703	SUS304-WPB	0.6	6.9	9	11	11.1	0.53	0.529N/mm	
	H0704	SUS304-WPB	0.6	6.0	4.5	6.5	8.9	0.27	1.666N/mm	
0.65	H0705	SWPB	0.65	4.65	8	10	12.8	0.38	3.41N/mm	
	H0706	SWPA	0.65	4.75	14	16	18	0.62	2.11N/mm	
	H0707	SWPB	0.65	3.0	15	17	19	0.42	8.82N/mm	
	H0708	SUS304-WPB	0.65	7.3	9	11	25	0.66	0.617N/mm	
	H0709	SWPB	0.65	4.0	8.5	10.5	12.8	0.34	5.47N/mm	
	H0710	SWPB	0.65	8.0	8.5	10.5	32	0.69	0.510N/mm	
	H0711	SWPA	0.65	7.05	2	4	6.2	0.23	3.332N/mm	
	H0712	SUS304-WPB	0.65	7.45	11.5	13.5	34.3	0.83	0.421N/mm	
	H0713	SUS304-WPB	0.65	5.9	6	8	20.1	0.39	1.88N/mm	
	H0714	SWPB	0.65	4.0	8.5	10.5	12.8	0.34	5.586N/mm	
	H0715	SUS304-WPB	0.65	7.3	7	9	25	0.54	0.794N/mm	
0.7	H0716	SUS304-WPB	0.7	5.2	9	11	15.3	0.55	2.685N/mm	
	H0717	SUS304-WPB	0.7	6.9	6.5	8.5	11.6	0.56	1.421N/mm	
	H0718	SWPB	0.7	5.5	6	8	12.6	0.42	3.72N/mm	
	H0719	SWPB	0.7	5.4	15	17	26	0.87	1.509N/mm	
	H0720	SWPB	0.7	3.9	9	11	18.5	0.41	7.97N/mm	
	H0721	SWPB	0.7	8.0	8.5	10.5	29	0.80	0.715N/mm	
	H0722	SWPA	0.7	11.5	3	5	12.1	0.55	0.617N/mm	
	H0723	SWPA	0.7	4.1	5	7	9.9	0.27	4.214N/mm	
	H0724	SUS304-WPB	0.7	6.0	9	11	13.06	0.63	1.646N/mm	
	H0725	SWPA	0.7	6.2	5	7	10.6	0.41	2.832N/mm	
	H0726	SWPB	0.7	3.7	24	26	28	0.91	3.626N/mm	
	H0727	SUS304-WPB	0.7	5.2	8	10	15	0.50	2.881N/mm	
	H0728	SUS304-WPB	0.7	6.0	9	11	12.5	0.63	1.627N/mm	
	H0729	SUS304-WPB	0.7	6.0	10	12	12	0.69	1.48N/mm	
	H0730	SUS304-WPB	0.7	6.0	7	9	13.2	0.52	2.117N/mm	
	H0731	SUS304-WPB	0.7	6.0	9	11	14.6	0.63	1.646N/mm	
	H0732	SUS304-WPB	0.7	6.0	8	10	11.2	0.57	1.852N/mm	
	H0733	SUS304-WPB	0.7	6.0	10	12	14.5	0.69	1.48N/mm	
	H0734	SUS304-WPB	0.7	4.5	13	15	24.6	0.64	3.303N/mm	
	H0735	SWPA	0.7	3.8	14	16	17.5	0.58	5.65N/mm	
0.75	H0736	SWPB	0.75	3.75	14	16	17.1	0.66	8.21N/mm	
	H0737	SWPB	0.75	3.9	3.5	5.5	6.9	0.23	28.32N/mm	
	H0738	SWPA	0.75	3.75	14	16	16.5	0.66	8.203N/mm	
	H0739	SWPA	0.75	3.75	14	16	18.1	0.66	8.21N/mm	
	H0740	SWPA	0.75	3.75	14	16	17.4	0.66	8.21N/mm	
0.8	H0741	SWPB	0.8	9.75	3	5	11.5	0.60	1.87N/mm	
	H0742	SUS304-WPB	0.8	6.3	5	7	11.7	0.55	4.312N/mm	
	H0743	SWPB	0.8	9.4	2	4	9.4	0.47	3.136N/mm	
	H0744	SWPA	0.8	6.3	6	8	10.3	0.63	4.018N/mm	
	H0745	SWPA	0.8	7.1	6	8	10.3	0.70	2.695N/mm	
	H0746	SWPB	0.8	8.8	4	6	14.2	0.65	2.009N/mm	
	H0747	SWPA	0.8	7.1	6	8	10.7	0.70	2.675N/mm	
	H0748	SWPA	0.8	6.8	4	6	15	0.51	4.704N/mm	
	H0749	SWPB	0.8	8.2	3	5	15.6	0.51	1.83N/mm	
	H0750	SWPA	0.8	7.1	6	8	9.8	0.70	2.675N/mm	
	H0751	SWPB	0.8	3.8	15	17	18.4	0.80	9.898N/mm	
	H0752	SUS304-WPB	0.8	10.0	6	8	10.8	1.00	0.755N/mm	
	H0753	SUS304-WPB	0.8	6.0	8	10	13	0.75	3.342N/mm	
	H0754	SUS304-WPB	0.8	6.7	8	10	20.2	0.84	2.283N/mm	
	H0755	SWPB	0.8	3.9	12	14	16.3	0.68	11.221N/mm	
	H0756	SUS304-WPB	0.8	6.0	8	10	13.7	0.75	3.342N/mm	
	H0757	SWPA	0.8	12.0	5	7	13.5	1.04	0.588N/mm	

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	パネ定数	備考
	H0759	SUS304-WPB	0.8	5.9	8	10	17.1	0.74	3.61N/mm	
	H0760	SUS304-WPB	0.8	6.3	6	8	10.3	0.63	3.773N/mm	
	H0761	SUS304-WPB	0.8	6.9	5.5	7.5	14.7	0.65	3.009N/mm	
	H0762	SUS304-WPB	0.8	6.0	8	10	13.2	0.75	3.342N/mm	
	H0763	SUS304-WPB	0.8	7.1	6	8	9.96	0.71	2.509N/mm	
	H0764	SWPA	0.8	6.8	13	15	17	1.27	1.421N/mm	
	H0765	SUS304-WPB	0.8	4.3	8	10	15.3	0.54	3.538N/mm	
	H0766	SUS304-WPB	0.8	7.1	6	8	9.83	0.71	2.342N/mm	
	H0767	SWPA	0.8	8.4	4	6	15.2	0.63	2.283N/mm	
	H0768	SWPB	0.8	3.6	8.5	10.5	13	0.47	21.540N/mm	左巻き
0.85	H0769	SWPB	0.85	9.4	2	4	9.2	0.55	4.116N/mm	
0.9	H0770	SWPA	0.9	10.4	4	6	13	0.98	1.921N/mm	
	H0771	SWPA	0.9	8.4	4	6	11.2	0.79	3.822N/mm	
	H0772	SWPA	0.9	17.2	2	4	12.8	1.08	0.745N/mm	
	H0773	SWPA	0.9	5.3	15	17	37	1.41	5.03N/mm	
	H0774	SWPA	0.9	7.0	13	15	29	1.65	2.176N/mm	
	H0775	SWPA	0.9	8.9	5	7	18.2	0.98	2.509N/mm	
	H0776	SWPA	0.9	7.6	5	7	13.5	0.83	2.019N/mm	
	H0777	SWPA	0.9	9.1	5	7	16.1	1.00	1.284N/mm	
	H0778	SWPB	0.9	7.0	9	11	16.8	1.21	3.136N/mm	
	H0779	SWPB	0.9	5.3	8	10	15.3	0.83	9.437N/mm	
	H0780	SUS304-WPB	0.9	11.7	4	7	10.3	1.29	1.147N/mm	
	H0781	SUS304-WPB	0.9	10.0	4.5	6.5	17.59	1.03	1.735N/mm	
	H0782	SWPB	0.9	3.8	9	11	14.7	0.65	20.292N/mm	
	H0783	SWPA	0.9	4.7	16	18	24.7	1.33	7.25N/mm	
	H0784	SWPA	0.9	6.6	6	8	10.36	0.83	5.78N/mm	
	H0785	SUS304-WPB	0.9	7.4	4	6	10.79	0.70	5.361N/mm	
	H0786	SUS304-WPB	0.9	7.1	5.5	7.5	11.63	0.84	4.292N/mm	
	H0787	SUS304-WPB	0.9	16.3	3	5	11.8	1.29	0.372N/mm	
	H0788	SWPB	0.9	8.4	4	6	14.4	0.79	3.822N/mm	
	H0789	SWPB	0.9	6.9	8	10	21.8	1.08	3.724N/mm	
1	H0790	SWPA	1.0	8.4	4	6	11.2	0.98	6.07N/mm	
	H0791	SWPA	1.0	6.7	4	6	12	0.78	13.916N/mm	
	H0792	SWPA	1.0	5.3	15	17	34.6	1.75	8.232N/mm	
	H0793	SWPB	1.0	3.8	10	12	14.9	0.88	44.1N/mm	
	H0794	SWPA	1.0	10.6	3	5	11.2	1.03	3.695N/mm	
	H0795	SWPA	1.0	7.2	8	10	19.7	1.39	5.135N/mm	
	H0796	SWPB	1.0	4.8	12	14	20.6	1.30	14.896N/mm	
	H0797	SWPB	1.0	4.8	11.5	13.5	19.4	1.26	15.52N/mm	
	H0798	SWPB	1.0	9.2	1.5	3.5	8.1	0.62	11.848N/mm	
	H0799	SUS304-WPB	1.0	10.2	4	6	10	1.19	2.96N/mm	
	H0800	SUS304-WPB	1.0	7.8	4	6	10.7	0.91	7.301N/mm	
	H0801	SWPB	1.0	4.8	11	13	20.7	1.21	16.268N/mm	
	H0802	SWPB	1.0	4.8	8	10	17.7	0.93	22.344N/mm	
	H0803	SWPB	1.0	4.8	11.5	13.5	19.4	1.26	15.5N/mm	
1.2	H0804	SWPA	1.2	14	4	6	23.4	2.34	2.421N/mm	
	H0805	SWPA	1.2	7.9	3.5	5.5	10.6	1.21	19.6N/mm	
	H0806	SWPA	1.2	7.9	3.5	5.5	10.1	1.21	19.6N/mm	
	H0807	SWPB	1.2	7.0	7	9	18.4	1.76	14.896N/mm	
	H0808	SWC	1.2	11.0	3	5	14.3	1.54	7.193N/mm	
	H0809	SWC	1.2	7.2	7	9	19.09	1.81	13.436N/mm	
	H0810	SWPB	1.2	6.8	13.5	15.5	36.8	2.94	8.52N/mm	
	H0811	SWPB	1.2	7.0	7	9	17.7	1.76	14.89N/mm	
	H0812	SWPA	1.2	18.4	3	5	30.5	2.57	1.323N/mm	
	H0813	SWPB	1.2	7.8	7	9	21.5	1.96	10.094N/mm	
	H0814	SWPA	1.2	10.8	3	5	11.46	1.51	7.644N/mm	
	H0815	SWPB	1.2	7.2	14	16	31.1	3.21	6.72N/mm	
1.3	H0816	SWC	1.3	7.8	7	9	19.4	2.26	14.896N/mm	左巻き

サイズ(mm)	品番	材質	線径(d)	外径(D)	有効巻数(N)	全巻数	自由長(L)	重さ(g)	バネ定数	備考
	H0817	SWC	1.3	7.3	7	9	17.5	2.12	18.522N/mm	
1.4	H0818	SWPA	1.4	16.4	4	6	17.3	3.73	2.793N/mm	
	H0819	SWPA	1.4	16.4	4	6	16.2	3.73	2.793N/mm	
	H0820	SWPA	1.4	11.2	3	5	14	2.12	13.328N/mm	
	H0821	SWC	1.4	7.6	7	9	18.7	2.59	22.54N/mm	
	H0822	SWPB	1.4	7.6	7	9	19.36	2.59	22.54N/mm	
1.8	H0823	SWPA	1.8	20.7	4	6	53.2	7.79	2.25N/mm	
	H0824	SWPA	0.4	3.6	20	22	25	0.26	0.382N/mm	左巻き
	H0825	SWPA	0.5	2.8	—	4	7.6	0.05	3.714N/mm	引きバネ
	H0826	SWPB	0.25	3	18	—	10	0.07		引きバネ
	H0827	SWPA	0.55	4.05	5.5	—	10.5	0.17	3.822N/mm	引きバネ
	H0828	SWPB	0.6	4.1	5	—	9.7	0.02	5.88N/mm	引きバネ
	H0829	SWPA	0.4	3.6	4	—	7.8	0.01	1.911N/mm	引きバネ
	H0830	SWPA	0.55	5.0	—	8.5	13.3	0.25	1.254N/mm	引きバネ
	H0831	SWPA	0.4	2.2	—	21.5	13.7	0.15	0.69N/mm	引きバネ
	H0832	SWPA	0.32	2.7	—	9.5	8.8	0.05	0.392N/mm	引きバネ
	H0833	SWPA	0.55	3.9	—	9	13.6	0.21		引きバネ
	H0834	SWPA	0.45	3.15	—	9	11.1	0.11	0.96N/mm	引きバネ
	H0835	SWPA	0.35	2.7	—	17	12	0.11	0.304N/mm	引きバネ
	H0836	SWPB	0.35	2.7	—	7	8.4	0.04	0.764N/mm	引きバネ
	H0837	SWPA	0.35	2.7	—	19	12.7	0.12		引きバネ
	H0838	SWPA	0.35	3.7	—	8.5	9.7	0.07	0.539N/mm	引きバネ
	H0839	SWPA	0.8	7.9	—	16.5	27.2	1.62	0.68N/mm	引きバネ
	H0840	SWPA	0.9	8.0	—	16.5	29.5	2.07	1.16N/mm	引きバネ
	H0841	SWPA	0.8	7.9	—	15.5	26.2	1.52	0.72N/mm	引きバネ
	H0842	SWP2	1.0	15	—	1.5	—	0.00		リング
	H0843	SUS304-WPB	1.3	9.3	—	—	—	0.00		リング
	H0844	SWC60	1.0	18.0	—	2	—	0.00		リング
	H0845	SWC	0.8	13.0	—	2	—	0.00		リング
	H0846	SWC	0.8	18.0	—	2	—	0.00		リング

引きバネ

リング